

LISTING OF CLAIMS

This listing of the claims replaces all prior versions, and listings, of claims in the application:

1. **(Currently Amended)** A wireless communications device comprising at least two distinct communications capabilities configured for use in a wireless network, the wireless device comprising:

at least one processor for controlling operation of the at least two communications capabilities ~~wireless communications device~~;

a first input device coupled to the at least one processor for accepting an input;

at least one display device coupled to the processor for communicating an output;

a communications subsystem coupled to the at least one processor for communicating with the wireless network;

a memory coupled to the at least one processor;

a storage device coupled to the at least one processor; and

a user interface for controlling the operations of the wireless communications device, the user interface configured to provide at least one main screen adapted for invoking a plurality of applications, the plurality of applications comprising applications for controlling the at least two communications capabilities, the user interface further including a component to compose a destination for an outgoing communication generated by the device, said component providing simultaneously together:

a prompt defining a field for receiving the destination as text; and

a hot list of candidate destinations selectable at the user interface and usable as the destination[[,]];

wherein the ~~user interface comprises a~~ at least one main ~~home~~ screen ~~comprises component, having~~ an application portion displaying one or more

~~application icons operable to invoke the plurality of applications for activating associated applications and a mobile status portion, and wherein the component to compose a destination is invocable from the main home screen component manually by activating a communication application icon and automatically in response to an input from the first input device of a portion of the destination.~~

2. **(Previously Amended)** The wireless communications device of claim 1, wherein the first input device is a key-based input device to input the destination.

3. **(Cancelled)**

4. **(Previously Amended)** The wireless communications device of claim 1 wherein the destination is a telephone number to be called and the input is a portion of a telephone number.

5. **(Previously Amended)** The wireless communications device of claim 1 wherein the portion of the destination populates the prompt when the component to compose a destination is invoked.

6. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is invocable in response to at least one of: an interaction with a home screen component of the user interface from which to invoke a feature from among a plurality of features provided by the wireless communications device; and an auxiliary input device.

7. **(Previously Amended)** The wireless communications device of claim 1 wherein the component to compose a destination is further invocable in response to at least one of: an interaction with the home screen component of the user interface; and an auxiliary input device.

8. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is enabled to move between the prompt and hot list.

9. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is adapted to provide a filtered list of destinations from a store of

destinations on the device in response to a filter input received at the user interface, said filtered list selectable at the user interface to choose a destination.

10. **(Original)** The wireless communications device of claim 1 wherein the prompt is adapted to permit navigating and changing the destination while composing.

11. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is adapted to provide at least one action button for terminating composition of the destination.

12. **(Currently Amended)** In a wireless communications device comprising at least two distinct communications capabilities configured for use in a wireless network, a method for composing a destination for an outgoing communication generated by the device comprising:

providing a main home screen ~~having~~ comprising an application portion displaying one or more application icons operable to invoke a plurality of applications, the plurality of applications comprising applications for controlling the at least two distinct communications capabilities, for activating associated applications and a mobile status portion, ~~the home screen for invoking a feature from among a plurality of features provided by the wireless communications device;~~ the applications one or more sub-screens comprising a composition screen, the one or more application icons comprising a communication application icon for invoking the composition screen;

invoking the composition screen from the ~~home~~ main screen automatically in response to input of a portion of the destination;

providing the composition screen;

providing, simultaneously with the composition screen, a prompt defining a field for receiving the destination as text; and

providing, simultaneously with the composition screen, a hot list for selecting the destination, the hot list comprising candidate destinations selectable as destinations.

13. **(Original)** The method of claim 12 including:

receiving the destination using the prompt in response to a key-based input.

14. **(Cancelled)**

15. **(Previously Amended)** The method of claim 12 wherein the destination is a telephone number to be called.

16. **(Previously Amended)** The method of claim 12 comprising populating the prompt with the portion of the destination.

17. **(Cancelled)**

18. **(Original)** The method of claim 12 comprising moving between the prompt and hot list in response to navigation about the composition screen.

19. **(Original)** The method of claim 18 comprising receiving the destination selected from the hotlist and generating the outgoing communication in response.

20. **(Original)** The method of claim 13 comprising providing a filtered list of destinations from a store of destinations on the wireless communications device in response to a filter input at the user interface, said filtered list selectable to choose the destination.

21. **(Original)** The method of claim 12 comprising receiving the destination and generating the outgoing communication in response.

22. **(Original)** The method of claim 12 comprising providing a cursor adapted for use in navigating and changing the destination while composing.

23. **(Original)** The method of claim 12 comprising providing at least one action button for terminating composition of the destination.

24. **(Currently Amended)** A computer program product having a computer readable medium tangibly embodying computer executable code stored thereon for composing a destination for an outgoing communication generated by a wireless communications device comprising at least two distinct communications capabilities for use in a wireless network, said computer program product comprising:

code for providing a main ~~home~~ screen ~~having comprising~~ an application portion displaying one or more application icons operable to invoke a plurality of applications, the plurality of applications comprising applications for controlling the at least two distinct communications capabilities, for activating associated applications and a mobile status portion, ~~the home screen for invoking a feature from among a plurality of features provided by the wireless communications device; the applications~~ one or more sub-screens comprising a composition screen, the one or more application icons comprising a communication application icon for invoking the composition screen;

code for invoking the composition screen from the ~~home~~ main screen ~~component~~ automatically in response to an input from an input device of a portion of the destination; and

code for the composition screen providing simultaneously together:

a prompt defining a field for receiving the destination as text;

a hot list usable for selecting the destination, the hot list comprising candidate destinations usable as the destination.

25. (New) The wireless communications device of claim 1, wherein the at least two distinct communications capabilities comprise a voice capability and a non-voice capability.

26. (New) The method of claim 12, wherein the at least two distinct communications capabilities comprise a voice capability and a non-voice capability.